

### SAFETY DATA SHEET REGISTER: Sep-19

Rev 2

## **PPS Bond & Seal**

1 IDENTIFICATION OF THE SUBSTANCE OR MATERIALS			
PRODUCT NAME	PPS Bond & Seal		
USE**	Joining and Sealing Condensate Pro/ Primary Pro Insulation and sealing wall fabrics		
MANUFACTURER/DISTRIBUTOR**  SMARTOVATIONS LTD			
	Unit 6 Barnfield Works		
	Hathersage		
	Hope Valley		
	\$32 1 A E		
	01433 440290		
EMERGENCY INFORMATION	as above		
2 COMPOSITION/INFOR	2 COMPOSITION/INFORMATION ON INGREDIENTS		
Description	Joining and sealing condensate insulation and sealing wall fabrics		
Classification according to Regulation (EC) No. 1272/2008	Not classified.		
Hazard Statements	EUH208: Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.  H319: Causes serious eye irritation.  H412: Harmful to aquatic life with long lasting effects.  Inhalation of vapours may cause irritation or discomfort. Ingestion may cause nausea, vomiting or gastrointestinal upset. The product is not intended for ingestion or inhalation and should be kept out of the reach of children and pets.		

#### **MIXTURES**

TRIMETHOXY VINYLSILANE				
EINECS	CAS	CHIP Classification	CLP Classification	Percent
220-449-8	2768-02-7	-: R10; Xn: R20	Acute Tox. 4: H332; Flam. Liq. 3: H226	1 - 10%

N-(2-AMINOETHYL)-3-AMINOPROPYLTRIMETHOXYSILANE				
EINECS	CAS	CHIP Classification	CLP Classification	Percent
217-164-6	1760-24-3	Xi: R41; Sens.: R43; Xn: R20; N: R51/53	Eye Dam. 1: H318; Aquatic Chronic 2: H411; Acute Tox. 4: H332; Skin Sens. 1: H317	<1%

### BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL) SEBACATE AND METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	Sens.: R43; N: R50/53	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%



## SAFETY DATA SHEET REGISTER: Sep-19

Rev 2

# PPS Bond & Seal

I I 3 BOIIG & Seci	
3 HAZARDS IDENTIFICAT	ION
Hazards	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	Irritating to eyes and skin.
	Repeated exposure may cause skin dryness or cracking
Additional Information	This product is not classified as hazardous according to current CHIP legislation. PBT: This product is not identified as a PBT/vPvB substance.
4 FIRST-AID MEASURES	
INHALATION**	Move the exposed person to fresh air immediately. If not breathing or breathing is difficult provide artificial respiration or oxygen by trained personnel and seek urgent medical attention. If a child or pet has inhaled vapours or product obtain immediate medical or veterinary attention.
SKIN CONTACT**	Remove affected person from the source of contamination and remove all contaminated clothing. Wash the skin immediately with soap and water. Seek medical attention if irritation persists. If irritation develops in sensitive individuals, including children, seek medical advice.
EYE CONTACT**	Immediately remove any contact lenses from the eyes. Promptly wash the eyes with plenty of water while lifting the eyelids and continue to rinse for fifteen minutes. Seek medical attention if irritation persists.
INGESTION**	Do not induce vomiting. Immediately remove the affected person from the source of exposure. If conscious rinse the mouth thoroughly with water and give water to drink. Seek urgent medical attention. If a child or pet ingests the product consult a doctor or veterinary professional immediately.
5 FIRE-FIGHTING MEASU	RES
SUITABLE EXTINGUISHING MEDIA	Suitable extinguishing media for the surrounding fire should be used.
Avoid Using	N/A
SPECIAL FIRE FIGHTING PROCEDURES **	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
6 ACCIDENTAL RELEASE	MEASURES
PERSONAL PRECAUTIONS **	Turn leaking containers leak side up to prevent the escape of liquid.
ENVIRONMENTAL PRECAUTIONS	Do not discharge into drains or rivers.
SPILL CLEAN UP METHODS	Clean-up procedures: Allow product to solidify and remove it by mechanical means. Remove uncured product with acetone.
7 HANDLING AND STOR	AGE
HANDLING PRECAUTIONS **	Store in a cool (above 5 °C), well ventilated area. Keep container tightly closed. Avoid spillages and avoid contact with skin and eyes. Ensure adequate ventilation and avoid breathing vapours.
STORAGE PRECAUTIONS **	Must only be kept in original packaging. Always store out of the reach of children and pets.



## **SAFETY DATA SHEET**

REGISTER: Sep-19

Rev 2

## **PPS Bond & Seal**

8 EXPOSURE CONTROLS	AND PERSONAL PROTECTION		
	Protective gloves.		
WORK PLACE EXPOSURE LIMITS	Safety glasses. Ensure eye bath is to hand.		
	Protective clothing.		
RESPIRATORY EQUIPMENT **	Respiratory protection not required.		
HAND PROTECTION	Wear Protective gloves .		
EYE PROTECTION	Wear full eye protection.		
9 PHYSICAL AND CHEM	ICAL PROPERTIES		
APPEARANCE	Paste		
COLOUR	Black		
ODOUR	Barely perceptible odour		
MELTING POINT	N/A		
BOILING POINT	>150		
FLASH POINT	N/A		
DENSITY AT 20°C	N/A		
10 STABILITY AND REACTI	VITY		
STABILITY**	Stable under recommended transport or storage conditions.		
CONDITIONS TO AVOID**	Heat		
HAZARDOUS REACTIONS	Hazardous reactions will not occur under normal transport or storage conditions.		
HAZARDOUS DECOMPOSITION PRODUCTS **	In combustion emits toxic fumes.		
11 TOXICOLOGICAL INFO	DRMATION		
GENERAL INFORMATION **	BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL) SEBACATE AND METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE		
HEALTH WARNINGS **	General Information Irritating to the eyes and skin. Inhalation Vapours may cause irritation to the respiratory system. Ingestion May cause nausea, vomiting or gastrointestinal upset. Children and pets may be more susceptible to these effects. Skin Contact Product has a de-moisturising effect on the skin. Eye Contact Causes serious eye irritation.		
ROUTES OF ENTRY**	Inhalation. Skin absorption.		
KOOILO OI LIVIKI			
12 ECOLOGICAL INFORM	MATION		



#### SAFETY DATA SHEET

**REGISTER:** Sep-19

Rev 2

### **PPS Bond & Seal**

#### 13 DISPOSAL CONSIDERATIONS

**DISPOSAL METHODS\*\*** 

Disposal of packaging: Dispose of as normal industrial waste. Waste code number: 08 04 10. The generation of waste should be avoided or minimised wherever possible. Residues of the product should be disposed of in accordance with all applicable local and national regulations. Ensure waste and residues are stored and disposed of in a manner that prevents access by children and pets.

Waste code number: 08 04 10

NB: The user's attention is drawn to the possible existence of regional or national

#### 14 TRANSPORT INFORMATION

LAND TRANSPORT(ADR/CDG) This product does not require a classification for transport.

15 OTHER INFORMATION		
This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.		
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>	
	H315: Causes skin irritation.	
	H319: Causes serious eye irritation.	
	H332: Harmful if inhaled.	
	H400: Very toxic to aquatic life.	
	H410: Very toxic to aquatic life with long lasting effects.	
RISK-PHRASES IN FULL	H412: Harmful to aquatic life with long lasting effects	
KISK-TTIKASES IN TOLL	R38: Irritating to skin	
	R41: Risk of serious damage to eyes	
	R43: May cause sensitisation by skin contact.	
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

#### Legal disclaimer:

The information provided in this Safety Data Sheet is believed to be accurate and given in good faith. It does not purport to be exhaustive and should be used only as a guide for safe handling, storage and use. This product is safe when used as intended. The material is not designed for ingestion or inhalation and the company accepts no liability for harm arising from misuse, including ingestion or exposure by children or pets.



